
Synthesis of parallelized carbon nanowalls by ECR plasma

Shinsuke Mori ¹, Ryo Suzuki ¹, Yusei Matsumura ¹, and Yohei Anekawa ¹

¹Tokyo Tech, Japan

In this study, well-parallelized carbon nanowalls have been synthesized by ECR plasma in CO/H₂ system. We have investigated the effect of electric field on the structure of carbon nanomaterials and the well-parallelized carbon nanowalls were successfully synthesized by the addition of strong electric field near the substrate. We were able to parallelize CNWs with comb-shaped multi-wire-type electrode which creates electric fields to control the shape and angle of CNWs. However, when we insert the parallelizing electrode into microwave plasma zone in the waveguide position, sparking on the electrode occurs and easily metal electrodes are severely damaged. To avoid the sparking on the electrode, we inserted the parallelizing electrode with substrate into the discharge tube slightly down flow area from the waveguide position. The plasma density of this position is originally too weak to synthesize CNWs. Thus, we additionally applied the magnetic field in the microwave plasma to create ECR plasma. We set the resonance point outside of waveguide zone and inserted the parallelizing electrode into the resonance zone in the down flow of waveguide zone. We have investigated the effect of shapes, sizes, and location of parallelizing electrodes. We tested two types of electrode system, contacting and non-contacting electrode system. The possible mechanism for controlling the nanostructure of carbon nanomaterials is discussed.